12/C

Attorney Docket No. 4041J0063CPA RESPONSE TRANSMITTAL AND

EXTENSION OF TIME REQUEST

(IF REQUIRED)

N. E.

**ART UNIT: EXAMINER:** INVENTOR(S): 3743 J. Ford

Yukio Uemura et al. 08/950,826

SERIAL NUMBER: FILED: FOR:

October 15, 1997

AIR CONDITIONING APPARATUS

THE COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D. C. 20231

Sir:

FEE CALCULATION FOR ENCLOSED RESPONSE and EXTENSION REQUEST (if any)							
	Claims Remaining	Highest N Previously F		Number Extra		Rate	Additional Fee
Total Claims	15	- 18	=	0	×	\$18.00 =	0.00
Independent Claims	2	- 5	=	0	×	\$80.00 =	0.00
Surcharge For Multiple Dependent Claim First Added +\$270.00 =							
[/] Applicant requests a one month extension of time for response to the outstanding Office Action. The large entity fee is							110.00
TOTAL							
[ ] Reduction for Extension Fee of months already paid							
[] OTHER:							
TOTAL							110.00

A check is enclosed to cover the fees as calculated above. [1]

The fees calculated above are to be charged to Deposit Account No. 08-0750. 

If for some reason applicant has not requested a sufficient extension of time and/or has not paid a sufficient fee for this response and/or for the extension of time necessary to prevent the abandonment of this application, please consider this as a Request for an Extension for the required time period and/or an authorization to charge our Deposit Account No. 08-0750 for any fee which may be due. A duplicate copy of this sheet is enclosed.

HARNESS, DICKEY & PIERCE, P.L.C

P. O. Box 828 Bloomfield Hills, Michigan 48303 (248) 641-1600

Michael J. Sermidt Reg. No. 34,007

I hereby certify that this letter, the response attached hereto and, if enclosed, the small entity verification are being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231, on

11/01/2000 SDENBOB1 00000032 08950826

01 FC:115

110.00 OP

**PATENT** 

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit:

3743

Examiner:

J. Ford

Inventor:

Yukio Uemura et al.

Serial No:

08/950,826

Filed:

October 15, 1997

For:

AIR CONDITIONING APPARATUS

Attorney Docket: 4041J0063CPA

REQUEST FOR DRAWING CORRECTION IN ACCORDANCE WITH MPEP 608.02(r)

## **CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231

By By

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

Dear Sir:

Pending approval of the Examiner, Applicant's attorney would like to amend the drawings in the above-identified application as follows:

Figure 1, Please add temperature sensor 39 in phantom along with its associated reference numeral and leader line.

Figure 10, please move the winter set temp. from C to A and move the summer set temp. from A to C.

Figure 11A, please delete the "prior art" designation.

Figure 11B, please delete the "prior art" designation.

Figure 11C, please delete the "prior art" designation.

Figure 11D, please delete the "prior art" designation.

These changes are indicated in red on the attached marked-up copies of the drawings.

Two marked-up copies are enclosed to facilitate this request.

Upon approval of the Examiner of the above requested amendments, Applicants' attorney will have the corrections entered to the drawings of the application by use of an approved method.

Should the Examiner have any questions regarding the present amendment, he should not hesitate to contact the undersigned attorney at (248) 641-1600.

Respectfully submitted,

HARNESS, DICKEY & PIERCE, P.L.C.

Attorneys for Applicants

Reg. No. 34,007

Date: CROSER 25, 2000

P.O. Box 828 Bloomfield Hills, MI 48303

(248) 641-1600